



User Input Devices' Impact on Virtual Desktop Trainers

LTC William R. Glaser

| maintaining the data needed, and c including suggestions for reducing | lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number. | ion of information. Send comments arters Services, Directorate for Information | regarding this burden estimate mation Operations and Reports | or any other aspect of the 1215 Jefferson Davis | nis collection of information, Highway, Suite 1204, Arlington | |
|--|--|--|--|--|--|--|
| 1. REPORT DATE JUL 2010 | | 2. REPORT TYPE | | 3. DATES COVERED 00-00-2010 to 00-00-2010 | | |
| 4. TITLE AND SUBTITLE | | | | 5a. CONTRACT | NUMBER | |
| User Input Devices | s' Impact on Virtual | Desktop Trainers | | 5b. GRANT NUM | /IBER | |
| | | | | 5c. PROGRAM E | LEMENT NUMBER | |
| 6. AUTHOR(S) | | | | 5d. PROJECT NU | JMBER | |
| | | | | 5e. TASK NUMB | ER | |
| | | | | 5f. WORK UNIT NUMBER | | |
| | ZATION NAME(S) AND AE e School,Departmen ,CA,93943 | ` ' | nce,Moves | 8. PERFORMING REPORT NUMB | G ORGANIZATION ER | |
| 9. SPONSORING/MONITO | RING AGENCY NAME(S) A | ND ADDRESS(ES) | | 10. SPONSOR/MONITOR'S ACRONYM(S) | | |
| | | | | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) | | |
| 12. DISTRIBUTION/AVAII Approved for publ | LABILITY STATEMENT ic release; distributi | on unlimited | | | | |
| 13. SUPPLEMENTARY NO Research & Educa | otes tion Summit, 13-15 | July 2010, Montere | y, CA | | | |
| 14. ABSTRACT | | | | | | |
| 15. SUBJECT TERMS | | | | | | |
| 16. SECURITY CLASSIFIC | CATION OF: | | 17. LIMITATION OF | 18. NUMBER | 19a. NAME OF | |
| a. REPORT unclassified | b. ABSTRACT unclassified | c. THIS PAGE unclassified | Same as Report (SAR) | OF PAGES 20 | RESPONSIBLE PERSON | |

Report Documentation Page

Form Approved OMB No. 0704-0188

Agenda

MOVES

- Introduction
- Background
- Methodology
- Results
- Recommendations

Introduction



- Motivation
- The Interface Issue
- Problem Statement
 - "When using a virtual desktop simulation for training, do commercial head tracking devices and game controllers improve training effectiveness?"

Background



- Literature Review
 - Evolution of game controllers
 - Use of Game controllers outside of video games
 - Personnel computers verses console video games
- Virtual Battlespace 2 (VBS2[™])
- Sony PlayStation 3 game controller
- Natural Point TrackIR 5



Phases


- Define the scenario and determine how to measure performance
- 2. Design and develop the scenario in VBS 2[™]
- 3. Design data collection system
- 4. Conduct simulation interface experiment
 - a. Pilot Study
 - b. Defense Language Institute (DLI) Study
- Evaluate results of the simulation interface experiment



- Phase 1 Define the scenario and determine how to measure performance
 - What is important?
 - Move, Shoot, & Communicate
 - Mounted, dismounted, or both?
 - Metrics
 - Time
 - Accuracy

MOVES

• Phase 2 - Design and develop the scenario in VBS 2^{TM}





- Phase 3 Design data collection system
 - Automated Scoring System
 - JAVA Jar application written to capture VBS 2[™] DIS data packets over network
 - Time
 - Crossing trigger lines times
 - Target hit times
 - Accuracy
 - Number of rounds fired
 - After Action Review Scoring System
 - Accuracy
 - Running off road, crashing vehicle, falling off ramps

MOVES


- Phase 4a Conduct Pilot Study
 - 16 MOVES students conducted two session
 - First session with keyboard and mouse
 - Second session with PS3 game controller
 - TrackIR 5 was excluded
 - Lessons learned
 - Fine tuning of surveys, briefs, and evaluation courses
 - Keyboard and game controller function mapping
 - AAR recording and VBS2 Version Control
 - Automated scoring application

- Phase 4b Defense Language Institute Study
 - 53 total participants, 31 for PS3 Study, 22 for TrackIR Study
 - All participants were Army Soldiers (E-1 thru E-6)
 enrolled in language training at DLI
 - The average age was 24.4
 - 6 of the 53 were female
 - 34 of the 53 (64%) identified themselves as "Gamers"

Results



- Phase 5 Evaluate results of the simulation interface experiment
 - The PS3 game controller outperformed the standard keyboard and mouse.
 - The PS3 improved overall performance, mounted shooting, dismounted shooting, and shoot house event scores.



t-Test: Paired two sample for Means (Matched)

| Event | PS3 Game Controller (Mean) | PS3 Game Control (Variance) | Keyboard and Mouse (Mean) | Keyboard and Mouse (Variance) | Two tailed P Value |
|------------------------|----------------------------------|-----------------------------------|---------------------------------|-------------------------------------|-----------------------|
| Total Score | 16.2 | 64.7 | 21.1 | 55.9 | 0.0004 |
| Mounted Movement | 3.4 | 4.1 | 3.2 | 4.2 | 0.615 |
| Mounted Shooting | 2.4 | 6.5 | 3.9 | 7.9 | 0.036 |
| Dismounted Movement | 2.3 | 3.8 | 2.5 | 3.0 | 0.314 |
| Dismounted Shooting | 2.8 | 3.2 | 4.3 | 3.6 | 0.004 |
| Shoot House | 2.15 | 3.13 | 3.5 | 5.16 | 0.0002 |

7/14/2010

Results




- The NaturalPoint TrackIR 5 did not effect training performance.
- Preferences:
 - 56% preferred using the PS3 game controller
 - 54% preferred using the TrackIR 5 head tracker
 - 76% preferred using imagery over maps for navigation.

Methodology - Regression



Age vs PS3 Score Line Fit Plot




ANOVA

| | | | T. | | Significance |
|------------|----|---------|--------|------|--------------|
| | df | SS | MS | F | F |
| Regression | 1 | 137.00 | 137.00 | 2.20 | 0.15 |
| Residual | 29 | 1804.59 | 62.23 | | |
| Total | 30 | 1941.59 | | | |

| | | Standard | 1 | | V |
|-----------|--------------|----------|--------|---------|-----------|
| | Coefficients | Error | t Stat | P-value | Lower 95% |
| Intercept | 26.83 | 7.24 | 3.71 | 0.00 | 12.03 |
| Age | -0.41 | 0.28 | -1.48 | 0.15 | -0.99 |

Age vs KB Score Line Fit Plot



ANOVA


| | | | | | Significance |
|------------|----|---------|-------|------|--------------|
| | df | SS | MS | F | F |
| Regression | 1 | 0.98 | 0.98 | 0.02 | 0.90 |
| Residual | 29 | 1676.47 | 57.81 | | |
| Total | 30 | 1677.45 | | | |

| | | Standard | | | |
|-----------|--------------|----------|--------|---------|--------------------|
| | Coefficients | Error | t Stat | P-value | Lower 95% |
| Intercept | 22.01 | 6.98 | 3.15 | 0.00 | 7.74 |
| Age | -0.04 | 0.27 | -0.13 | 0.90 | ¹⁵ 0.59 |

Methodology - Regression

MOVES

Years on PC Games Line Fit Plot




ANOVA

| | df | SS | MS | F | Significance F |
|------------|----|---------|--------|-------|----------------|
| Regression | 1 | 566.20 | 566.20 | 14.78 | 0.00 |
| Residual | 29 | 1111.25 | 38.32 | | |
| Total | 30 | 1677.45 | | | |

| | | Standard | | | |
|--------------------------|--------------|----------|--------|---------|-----------|
| | Coefficients | Error | t Stat | P-value | Lower 95% |
| Intercept Years on PC | 25.71 | 1.63 | 15.75 | 0.00 | 22.37 |
| Games | -0.48 | 0.13 | -3.84 | 0.00 | -0.74 |

Years on CS Games Line Fit Plot



ANOVA


| | df | SS | MS | F | Significance F |
|------------|----|---------|--------|------|----------------|
| Regression | 1 | 232.78 | 232.78 | 3.95 | 0.06 |
| Residual | 29 | 1708.81 | 58.92 | | |
| Total | 30 | 1941.59 | | | |
| | | | | | |

| | | Standard | 1 | / | |
|-------------|--------------|----------|--------|---------|-----------|
| | Coefficients | Error | t Stat | P-value | Lower 95% |
| Intercept | 19.73 | 2.21 | 8.93 | 0.00 | 15.21 |
| years on CS | | | | | |
| Games | -0.31 | 0.16 | -1.99 | 0.06 | -0.64 |

16

Methodology - Regression

Age and Performance Line Fit Plot



| ANOVA | | | | | | | | |
|------------|----|---------|--------|------|----------------|--|--|--|
| | df | SS | MS | F | Significance F | | | |
| Regression | 1 | 222.46 | 222.46 | 5.43 | 0.027 | | | |
| Residual | 29 | 1187.89 | 40.96 | | | | | |
| Total | 30 | 1410.35 | | | | | | |

| | | Standard | | | 7 |
|-----------|--------------|----------|--------|---------|-----------|
| | Coefficients | Error | t Stat | P-value | Lower 95% |
| Intercept | -9.27 | 6.15 | -1.51 | 0.14 | -21.86 |
| Age | 0.56 | 0.24 | 2.33 | 0.027 | 0.07 |







- Commander and BCTC Directors consider adding PS3 game controllers as an additional user input device.
- Commander and BCTC Directors do not consider adding TrackIR 5 as an additional user input device.



Questions?

7/14/2010

Results



Gamer stats

- 34 of the 53 (64%) identified themselves as "Gamers"
- The "non gamers" averaged 4.6 years of experience playing video games at 2.1 hours per week
- The "Gamers" averaged 10.4 years of experience playing PC Games at 8.4 hours per week
- The "Gamers" averaged 12.2 years of experience playing console video games at 9.7 hours per week
- Many commented they would play more if not for learning a second language